

# BERGERE



**DOIMO**<sup>®</sup>  
Salotti

## SCHEDA PRODOTTO

**STRUTTURA:** Realizzata con legno massello di abete.

**MOLLEGGIO DELLA SEDUTA:** Costituito da cinghie elastiche in polipropilene (65%) e gomma (35%), di altezza variabile, fissate con punti metallici e disposte secondo trame ortogonali.

**IMBOTTITURA DELLA STRUTTURA:** Realizzata con poliuretano espanso di densità 21 P. + espanso ECO 25S ricoperto con ovatta autoestinguenta da 350 gr.

**IMBOTTITURA DEI CUSCINI:** Schienale realizzato con poliuretano espanso di densità ECO 35 HD+ ricoperto con ovatta autoestinguenta Tecnoform da 450 gr. Seduta realizzata con poliuretano espanso di densità ECO 30 HX4+ BC e piuma d'oca.

**RIVESTIMENTO:** Pelle. Per la tipologia del rivestimento e la manutenzione vedere le relative schede tecniche.

**CARATTERISTICHE:** Cuscini di seduta rimovibili e sfoderabili. Il prodotto non rientra nella classificazione ignifuga. Modello realizzabile esclusivamente in versione divano finito.

**PIEDI DI SERIE:** In legno in massello di faggio tornito in finitura laccato nero vesuvio 014 opaco h. 15 cm.

**PIEDI OPTIONAL:** In legno massello di faggio tornito in finitura canaletto 031 o rovere cenere 030 e finitura laccato opaco nei colori a campionario (grigio piombo 013, grigio titanio 012, bianco perla 011, bronzo vintage 001).

## PRODUCT DATA SHEET

**STRUCTURE:** Made from solid fir wood.

**SPRING SEATING:** Elastic straps in polypropylene (65%) and rubber (35%), fixed with metal staples in a diagonal pattern.

**STRUCTURE PADDING:** Polyurethane foam, density 21P. + ECO 25S, covered with self-extinguishing Tecnoform wadding gr. 350.

**CUSHIONS PADDING:** Back: polyurethane foam, density ECO 35 HD+ covered with self-extinguishing tecnoform wadding 450 gr. Seat: polyurethane foam, density ECO 30 HX4+ BC covered with goose down.

**COVER:** Leather. For types of covers available and their care, please refer to the leather specification sheet.

**FEATURES:** Seat cushions are removable. The product is not classified as fire-retardant. The product can be realized exclusively as fix version.

**STANDARD FEET:** Lathed solid beechwood feet, vesuvian black 014 matt lacquered finish. 15 cm high.

**OPTIONAL FEET:** on request lathed solid beechwood feet available in wooden finish (Canaletto 031 and Rovere Cenere 030 color) and matt lacquered finish in the colors as shown in the sample book (lead-grey 013, titanium grey 012, pearl-white 011, antique bronze 001).