

SPENCER



DOIMO[®]
Salotti

SCHEMA PRODOTTO

STRUTTURA: Realizzata con pannello di multistrato di conifera norvegese.

MOLLEGGIO DELLA SEDUTA: Costituito da cinghie elastiche in polipropilene (65%) e gomma (35%), di altezza variabile 50/60/70 mm, fissate con punti metallici e disposte secondo trame ortogonali.

RIVESTIMENTO CUSCINI E BRACCIOLO: Realizzato con miscela mollapiuma 50% + resinato accoppiato 150 gr.

IMBOTTITURA DEI CUSCINI: La seduta è realizzata in poliuretano espanso densità 40 PFM con una fascia davanti seduta realizzata in poliuretano espanso densità 40 PFM. Lo schienale è realizzato in poliuretano espanso densità 35 PFFR con nel retro schienale realizzato in poliuretano espanso densità 40 PFM. Il bracciolo è realizzato in poliuretano espanso densità 40 PF.

RIVESTIMENTO: Il modello è completamente sfoderabile e può essere rivestito in tessuto, microfibra o ecopelle. Per le caratteristiche, tipologia e manutenzione del rivestimento, vedere la scheda del tessuto in allegato con il prodotto. Il modello è caratterizzato dalla particolare finitura della cucitura presente nei cuscini di seduta e schienale.

CARATTERISTICHE: Il prodotto non rientra nella classificazione ignifuga. Spencer è disponibile nella versione a divani finiti o componibile. Nella versione componibile, l'unione degli elementi avviene mediante comodi e solidi agganci a vite in metallo posizionati sotto il telaio. I fianchi di tutti gli elementi sono finiti e quindi predisposti per eventuali richieste di fianchi a vista.

PIEDI DI SERIE: Telaio realizzato in metallo verniciato H 17,5 cm di colore grigio piombo 013.

PIEDI OPTIONAL: Telaio realizzato in metallo verniciato H 17,5 cm in finitura nero vesuvio 014, bronzo vintage 001, grigio titanio 012, bianco perla 011.

PRODUCT DATA SHEET

STRUCTURE: Made with plywood panel Norwegian conifer.

SPRING SEATING: Elastic straps in polypropylene (65%) and rubber (35%), of variable height mm 50/60/70, fixed with metal staples in a diagonal pattern.

COVERING PILLOWS AND ARMS: Made with feather mixture 50% + coupled resin 150 gr.

CUSHIONS PADDING: The seat is made of polyurethane foam density 40 PFM with applied in the front a polyurethane foam's flap density 40 PF. The backrest is made in double polyurethane foam density: front parte in density 35 PFFR and back with density 40 PFM. The armrest is made of polyurethane foam density 40 PF.

COVERING: The cover of Spencer model is completely removable and can be upholstered in fabric, microfiber or eco-leather. Characteristic, maintenance and cleaning are described on the fabric sheet information supplied with the product.

FEATURES: The product is not classified as fire-retardant. The model Spencer can be realized both in finished sofa that modular version. In the modular version, the elements are joined by means of metal screw hooks located under the frame. The sides of all elements of the Spencer model are always finished, already predisposed to any requests for visible side.

STANDARD FEET: Metal frame H 17,5 cm painted grigio piombo 013.

OPTIONAL FEET: The same metal frame H. 17.5 cm can be painted on request, in the follow colors: nero vesuvio 014, bronzo vintage 001, grigio titanio 012, bianco perla 011.