

TRUMAN



DOIMO[®]
Salotti

SCHEDA PRODOTTO

STRUTTURA: Realizzata con legno massiccio di abete; pannello di particelle di legno grezzo, biodegradabile; pannello di fibra di legno dura.

MOLLEGGIO DELLA SEDUTA: Costituito da cinghie elastiche in polipropilene (65%) e gomma (35%), di altezza variabile, fissate con punti metallici e disposte secondo trame ortogonali.

IMBOTTITURA DELLA STRUTTURA: La struttura è rivestita in poliuretano di densità 40 Kg/mc il tutto ricoperto con del vellutino accoppiato e resinato da 200 gr/mc.

IMBOTTITURA DEI CUSCINI: Il bracciolo è realizzato in poliuretano espanso di densità 40 kg/mc. Il cuscino di seduta è realizzato con un'anima in poliuretano espanso con densità differenziate 30/40 kg/mc avvolto in una fodera realizzata in misto piuma e rivestita in cotone. Il cuscino di schienale è realizzato in misto piuma contenuta in una tela di cotone antipiuma.

RIVESTIMENTO: Pelle. Per la tipologia del rivestimento e la manutenzione vedere le relative schede tecniche.

CARATTERISTICHE: Il prodotto non rientra nella classificazione ignifuga. Il modello Truman può essere realizzato sia in versione fissa che componibile grazie alla vasta scelta di elementi tra cui il terminale, disponibile in due dimensioni, che ha un'ampia mensola laterale, completamente rivestita in pelle, in cui è possibile appoggiare un comodo e morbido cuscino da 98x30 cm utilizzabile come bracciolo e posizionabile a piacere. Nella versione componibile gli elementi sono forniti di comodi agganci in metallo a scomparsa, posizionati sotto la struttura del manufatto. I fianchi degli elementi sono completamente rivestiti e finiti.

PIEDI DI SERIE: Piede nascosto in plastica nera H 5,5 cm.

PRODUCT DATA SHEET

STRUCTURE: Made of solid fir wood and plywood, biodegradable raw wood particleboards and hard wood fibreboard.

SPRING SEATING: Elastic straps in polypropylene (65%) and rubber (35%), fixed with metal staples in a diagonal pattern.

STRUCTURE PADDING: The structure is covered in polyurethane foam density 40 kg/m³ covered by a resin-coupled 200 gr/m² velvet.

CUSHIONS PADDING: The armrest is made of polyurethane foam non-deformable density 40 Kg/m³. The seat cushion is made with a polyurethane foam core in different density 30/40 kg/m³ wrapped with a quilt mixed feather with cotton cover. The backrest cushion is made of mixed feathers contained in anti-feather cotton canvas.

COVER: Leather. For types of covers available and their care, please refer to the leather specification sheet.

FEATURES: The product is not classified as fire-retardant. The model Truman can be realized both in modular version that finished sofa and it features a wide selection of elements including the end element (available in two size), characterized by a large support surface completely covered in leather, where it can be positioned at will a soft and comfortable cushion size 98x30 cm which can be used as an armrest. In case of composition, the elements are equipped with metal hooks fixed under the structure.

STANDARD FEET: Hidden feet in black plastic H 5,5 cm.